

Prep4sures

Mozilla Firefox Browser

Search or enter address

Google

Prep4Sures

Discount Sale : Sale2016
Get 10% OFF

HOME - CERTIFICATIONS - MICROSOFT - SAP - IBM - CITRIX - HOW TO PAY? - GUARANTEE - FAQ

Home / Oracle / Other Oracle Certification / 1z0-100 testing engine

Oracle 1z0-100 : Oracle Linux 5 and 6 System Administration

Exam Code: 1z0-100

Exam Name: Oracle Linux 5 and 6 System Administration

Version: V12.35 Updated: 07-11-2014 Q & A: 108 Questions and Answers

PDF Version PC Test Engine Value Pack

Price: \$5925.00

Add To Cart

Free Demo Download

Related Exam

- 120-236 Testing Engine
- 120-209 Testing Engine
- 120-264 Testing Engine
- 120-023 Testing Engine

Some numerical data

59817 HAPPY CUSTOMERS	67155 DOWNLOADS	35696 TEAM MEMBERS	57696 SHARES
--------------------------	--------------------	-----------------------	-----------------



<http://www.prep4sures.top>

Prep4sure exam dumps - Prep4sure training & Prep4sure Review

Exam : **JN0-412**

Title : **Cloud, Specialist (JNCIS-Cloud)**

Vendor : **Juniper**

Version : **DEMO**

NO.1 What does the Contrail Analytics service do with flows that are greater than or equal to the sampling threshold?

- A. The flow sample is exported.
- B. A modified flow sample is exported according to the probability of bytes during the interval divided by the sampling threshold.
- C. A modified flow sample is exported only after normalizing the byte and packet count during the interval.
- D. The flow sample is not exported.

Answer: A

NO.2 You are required to implement a Contrail service that will automatically increase network resources for that service when under high traffic loads, and reduce network resources for that service under low traffic loads.

Which configuration steps will accomplish this task?

- A. Configure Heat to monitor the CPU threshold of services VMs, and configure a Heat auto-scaling policy to adjust the VM resources allocated to the service.
- B. Configure Ceilometer to monitor the CPU threshold of services VMs, and configure a Heat auto-scaling policy to adjust VM resources based on the alarms generated by Ceilometer
- C. Configure Heat to monitor the CPU threshold of services VMs, and configure a Ceilometer auto-scaling policy to adjust the VM resources based on alarms generated by Heat.
- D. Configure Ceilometer to monitor the CPU threshold of services VMs, and configure a Ceilometer auto-scaling policy to adjust the VM resources allocated to the service.

Answer: B

NO.3 What are two predefined tags that are used in Contrail Security policies? (Choose two.)

- A. group
- B. family
- C. site
- D. label

Answer: C,D

NO.4 What are three mechanisms supported by the Neutron ML2 plugin? (Choose three.)

- A. IPsec
- B. VXLAN
- C. GRE
- D. VLAN
- E. MPLS

Answer: B,C,D

NO.5 Which two statements describe the Kubernetes network policy? (Choose two.)

- A. If a policy is not applied to a pod, then the pod blocks traffic from all sources.
- B. A policy can define traffic in only one direction.
- C. A policy can define traffic in both directions.

D. If a policy is not applied to a pod, then the pod accepts traffic from all sources.

Answer: C,D

NO.6 You are not able to view a specific Glance image under a project named Administrator in OpenStack. However, you are able to view the same image in a different project named ProjectA. What is the problem in this scenario?

- A. There is an issue with Keystone authentication.
- B. Only ISO, qcow2, and raw image types can be seen under all of the projects.
- C. The image is not marked as public.
- D. You have restricted access to the project named Administrator.

Answer: C

NO.7 You have deployed a Contrail cluster that must support bare-metal servers. Which protocol is used to communicate between the bare-metal server's virtual tunnel endpoints and the Contrail cluster to establish sessions with the VM servers?

- A. EVPN/VXLAN
- B. SRTP
- C. BGP
- D. XMPP

Answer: A

NO.8 Refer to the exhibit.

The screenshot shows a 'Create Policy' dialog box. The 'Policy Name' field contains 'analyzer-policy'. The 'Associate Networks' field contains 'frontend'. Below this is a table for 'Policy Rules' with columns: Action, Protocol, Source Network, Source Ports, Direction, Destination Network, Destination Ports, Apply Service, and Mirror to. The rule is configured as follows:

Action	Protocol	Source Network	Source Ports	Direction	Destination Network	Destination Ports	Apply Service	Mirror to
PASS	ANY	frontend	Source	←	backend	Destina	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

At the bottom, there is a dropdown menu for 'analyzer-service-instance' and 'Cancel' and 'Save' buttons.

You have configured your Contrail cluster to mirror traffic going between a network called frontend and a network called backend, however, the Wireshark window is not showing any packets being mirrored.

Referring to the exhibit, which statement is correct?

- A. The mirror to parameter needs to be unchecked.
- B. The apply service parameter needs to be unchecked.
- C. The policy needs to be changed to unidirectional.
- D. Mirroring can only be used on a single interface.

Answer: C

NO.9 Which two statements about Contrail ZooKeeper are true? (Choose two.)

- A. It provides distributed synchronization and group services.
- B. It generates analytic reports on service activation and deactivation time.
- C. It deploys high availability services by thread utilization.
- D. It is a centralized service for configuration information.

Answer: A,D

NO.10 You are deploying Contrail in your existing network and you must ensure that it manages your current IP fabric underlay.

Which two routing protocols are supported in this scenario? (Choose two.)

- A. EIGRP
- B. OSPF
- C. EBGp
- D. RIP

Answer: B,C

NO.11 What is the role of an orchestration platform in a cloud networking environment?

- A. It controls and monitors the network underlay infrastructure.
- B. It configures and monitors tunnels between virtual hosts.
- C. It controls pools of compute, storage, and networking resources.
- D. In configures and monitors tunnels between physical hosts.

Answer: C

NO.12 Which statements correct about Contrail security?

- A. Contrail security is used to control management access to VNFs.
- B. Contrail security is used to control access into Junos devices.
- C. Contrail security is used to apply security features and segment traffic flows.
- D. Contrail security is used to analyze network performance and learn traffic patterns.

Answer: C